

Stainless Steel Light Commercial Electric Water Heater

BUILT TO LAST LONGER

No Anode
Rods Needed
Lightweight
and Durable
Titanium
Elements









INDUSTRY
BEST
LIFETIME
WARRANTY

(When Registered Online)

80,100 & 115 Gallon Tanks

Made in the USA

westinghousewaterheating.com



Stainless Steel Electric Water Heater

THERMOSTAT AND HIGH LIMIT CONTROLS:

Commercial temp: min 120°F max 181°F

HOT WATER CONNECTION:

Outlet connection on the top of the tank (with built in Heat Traps)

THE FINEST PROTECTION:

Laser welded through a concentrated heat source producing high quality, long lasting, 316L stainless steel tank construction (lightweight) - Superior corrosion resistance, eliminates the need for anode rods, protects against harsh water conditions for a lifetime of durability against leaks - Fantastic Limited Warranty

MINIMAL HEAT LOSS:

Heavy-duty insulation

HIGHEST QUALITY TITANIUM ELEMENTS:

Low watt operation; Titanium screw plugs; Increases corrosion resistance for extended, longer element life



STANDARD FEATURES

- Stainless Steel Tank
- Heavy Duty Insulation
- Electrical Connection Box
- 2 Titanium Elements
- Limited Lifetime Warranty for Light Commercial Units (10 year warranty if not registered online)


IN THE BOX

- T&P Relief Valve
- Installation Manual
- Brass Full Port Drain Valve

No Anode
Rods Needed
Thermal Watt
Low Density
Titanium Elements
Lightweight
Resists Scale
Build-Up

THE WESTINGHOUSE ELECTRIC: STAINLESS STEEL WATER HEATER

The Westinghouse Electric Water Heater combines high quality stainless steel construction and energy efficient operation, providing long draws of hot water without consuming large amounts of energy. A cleverly designed water connection directs cold water to the heating element near the bottom of the tank to minimize the mixing of cold and hot water. Durable components, low standby heat losses, high recovery rates, and the industry's strongest warranty make the Westinghouse Electric Water Heater an ideal choice for electric water heating needs.



A Closer Look

Cold Inlet

The Inlet and
Outlet have
Built in Heat Traps,
Keeping the Heat
in the Tank for
Greater Efficiency

316L Stainless Steel Tank

Our Components are Made of Durable Materials:

Inlet and
Outlet Nipples
Constructed of
Durable Brass

Highest Quality
Titanium Elements

High Grade 316L Stainless Steel Tank Construction

The Advantages Stainless Steel VS Glass-Lined








Top Competitor's Glass-lined Tank Very Heavy

Minimizes Scale Build Up Prolongs Tank Life No Need for Anode Rods Lightweight Construction

NO Anode Rods Needed!

All coated tanks require anodes to delay the inevitable corrosion and tank failure. The average residential water heater lasts about 13 years. The Westinghouse stainless steel tanks will outlast any coated steel tank in the market.





SPEC	FICATION	ONS AND	WATER TEMPERATURE RATINGS					
Models	Gal.	Α	В	С	D	Minimum Delivered Temp.	Maximum Delivered Temp.	High Temp. Limit
WEC080C2X045	80	6.5"	60"	69"	23.25"	120°F 48.8℃	180°F 82.1°C	200°F 93.3℃
WEC080C2X055								
WEC100C2X045	100	7.25"	52"	61"	27″			
WEC100C2X055								
WEC115C2X045	115	7.25"	60.25	70.5″	27"			
WEC115C2X055								

Light Commercial Models	Wattage	Voltage	Safety Listing	First Hour Delivery	Recovery @ 90° F Rise	Thermal Efficiency	Shipping Weight
WEC080C2X045	4500	240	UL1453	84 Gallons	20 Gallons	98%	151 lbs
WEC080C2X055	5500	240		89 Gallons	25 Gallons	96%	
WEC100C2X045	4500	240		87 Gallons	20 Gallons	98%	206 lbs
WEC100C2X055	5500	240		92 Gallons	25 Gallons	98%	
WEC115C2X045	4500	240		105 Gallons	20 Gallons	98%	224 lbs
WEC115C2X055	5500	240		110 Gallons	25 Gallons	96%	

Heaters furnished with standard 240 volt AC, single phase non-simultaneous wiring.